



CATALOGUE MACHINES & ACCESSOIRES

DÉSINFECTION

PURIFICATION

STÉRILISATION

DESIGN

Une gamme de produits et machines développée by  **PolluClean** expert en gestion de déchets, nettoyage & assainissement depuis 2004 et certifié par



CLEAN AIR



AIR PURIFIER



Size : 218x218x323 mm

Weight : 2.7 KG

Area : 20 m²

Particle CADR : 110 m³/h

Anion : 50.000.000 PCS/h

Rated Power : 15 W



Good Choice For Allergy Sufferers



Dust
The True HEPA Filter traps dust mites, large particles, and pollen like a pro.



Pollen
Get extra help removing pollen and outdoor pollutants no matter the season (or allergy season).



Smoke & Odors
The Activated Carbon Filter tackles smoke and odors from the kitchen, your pets




Pet Dander
3-stage filtration catches odors and dander so furry family members can stick around.

323mm




218mm




Quiet As A Whisper

Enjoy quiet operation as the lowest fan speed only produces 25-50dB noise



Our Air Purifier



UV Light Inner



UVC STERILIZATION LAMP



LED ultraviolet disinfection technology

Through LED ultraviolet 270-280NM specific wavelength, destroy the DNA or molecular structure of bacteria, so that bacteria can not reproduce and achieve the purpose of sterilization

Built in battery
Long endurance with low power consumption

- 2**
Use twice a week
- 5**
5min each time
- 40**
40 days per charge

white

black

UVC Sterilization Lamp

Through the specific wavelength of LED ultraviolet 270-280NM, the DNA or molecular structure of the bacteria is destroyed, so that the bacteria cannot replicate and reproduce to achieve the purpose of sterilization.

Built in protection switch
The UV light will stop working automatically when the cover is opened at a certain angle

Before sterilization

After sterilization



One-button operation for easy disinfection

Press and hold for 2 seconds to start the disinfection work, the indicator light is on, the blue breathing lamp will automatically shut down after 5 minutes of disinfection, and the indicator light goes out; if you need to suspend work, press the switch



AIR PURIFIER





TOILETS ARE PRONE TO BACTERIA

Bacterial

Harm to health

Peculiar smell

virus

BUILT-IN LARGE CAPACITY BATTERY

2 Use 2 times a week

5 5 minutes each

40 40 days on a single charge

1200mAh

Convenient installation design, only three steps

Installation steps:

1. Tear off the adhesive
2. of the fixing bracket, stick the fixing bracket on the inside of the toilet or garbage can lid in the right direction
3. and then install the host on the fixing bracket

host

fixed bracket

back glue



AIR STERILIZER



360 ° all-round sterilization

removes bad smell from noxious gases such as formaldehyde, molds, paints and carpets.



Ozone Sterilization


It kills bacteria in the oral cavity and helps cure diseases like stomatitis and faucitis.




Ozone Generator Sterilizer

removal of soluble iron and manganese by oxidation

- | | | |
|----------|-----------|------------------------|
| mucedine | flu virus | pseudomonas aeruginosa |
| bacillus | E.coli | staphylococcus |




LED TOILET STERILIZER





Before sterilization

After sterilization




Built-in battery, super capacity

The UV-C LED technology that is without Hg can reach the 99.9% sterilization rate to housewares. The UV-C light that is with 270-280nm wavelength can destroy the structure of bacteria's DNA and RNA.

Fast sterilization, Healthy and environment-friendly

- Sterilization
- Removing smell
- 3Min
- AI

AI control, open to turn off, close to turn on



LED lights that are with same value of gold UVC LED lights

The UV-C LED technology that is without Hg can reach the 99.9% sterilization rate to housewares. The UV-C light that is with 270-280nm wavelength can destroy the structure of bacteria's DNA and RNA.




ANION DEODORIZER & DISINFECTOR





HOME AIR PURIFIER





OZONE STEAMING DISINFECTION



Brand	Huayao Senmao	Operation method	Button + remote control
Noise	< 50DB	Ozone production	5G
Color	White		
Applicable area	100m ²	Rated Power	280W
Ultraviolet intensity	13600μW	Product Size	880*440*360cm



High Strength Disinfection By Ultraviolet Light

Working principle: when the machine is running, the air with bacteria is sucked into the inside of the machine through the air inlet, and then the bacteria in the air are killed by high intensity ultraviolet radiation, then blow out the sterilized air through the air outlet (sterilization rate reaches over 90%)



Scope of Application



Six Functions

[Comfortable at One Touch]



WALL MOUNTING AIR PURIFIER



NAME	Wall-mounted Air Purifier	APPLICABLE AREA	<20m ²
MODEL	J022	SIZE	334 × 129 × 295 mm
RATED VOLTAGE	220V	FILTER SIZE	262 × 177 × 38 mm
POWER	<8.5W	FILTER	Four-in-one composite filter <small>powered by USA-registered company (USA) (patent pending)</small>
MATERIAL	High strength ABS shell / Acrylic touch panel	COLOR	White



HIGH CONCENTRATION NEGATIVE ION FASTER PURIFICATION



PROFESSIONAL R&D FOR BETTER

 Double fan design Fast Purification	 Four-in-one composite filter	 UV lamp Sterilization	 Built-in air detection system
 6 hours long time timing	 Built-in aromatherapy box	 High concentration negative ion	 Touch and remote control

WHAT CAN IT DO FOR YOU?

Nobico Wall-mounted air purifier



OTHER VIEWS



AIR QUALITY INDEX


254 serious pollution

How can we breathe fresh air today when the air is seriously polluted?



DOUBLE FAN DESIGN FAST PURIFICATION

The Nobico dual core air purifier has two standard fans built in, and the air output speed is fast, which is 2-3 times of the air volume of the ordinary fan, and the service life is longer



PANEL FUNCTION INTRODUCTION




SANIBOX



UV BOX STERILIZIER





Smart mute sleep peacefully

41dB silent work, quiet and quiet library compared with products over 60dB in the market. Isolate noise and sleep peacefully.

12dB	20dB	31dB	41dB
Butterfly light dance	Whisper softly	Quiet bedroom	Quiet library



GREENTECH

Do not pick the material to meet the needs of the whole family

Clothing	Feeding bottle	accessories	cup
Towel	Small bowl	tool	Tableware
Saliva cloth	Soup spoon	glasses	tableware



MULTIFUNCTION 5IN1 UV STERILIZING BOX



- | | | | | |
|--|---|--|---|---|
| 
Jewelry | 
Plastic products | 
Textile supplies | 
Metal products | 
Tool |
| 
Tableware | 
Beauty tools | 
Electronic products | 
Glass and ceramics | 
Small bowl |





Removable Iwatch charging part

- Patented design, easy to use and store
- Plug in this holder part when your first time using



TOOTHBRUSH STERILIZER



Non-perforated installation
suitable for a variety of wall materials



Glossy tiles



Texture tiles



Matte wall



Glass wall



Wooden wall



Mirror



UV sterilization

Intelligent induction system



99.99%

Toothbrush disinfection

Infrared sensor



DISINFECTION UV BOX





DISINFECTION BOX



UV disinfection



Automatic sterilization



Pasteurization



11 mins

Kills **99.9%** of bacteria bottles contain



Car & Home Dual Purpose

Easy to carry and ready to use.



Multiple Applications



Ring



Watch



Makeup



Masks



Mobile phone



Spoon



Key




Sock




UV DISINFECTION BUCKET




USB DISINFECTION BUCKET




MULTIFUNCTIONAL UV STERILIZER BOX






SMART BOX UV STERILIZER





Sterilization wavelength 253.7nm
Quickly destroy bacterial DNA structure and kill bacteria.

High transmittance
The sterilization rate can reach more than 900%.



OZONE AIR PURIFIER BOX

Do You Know That The Deodorant Products Really Work?

The advertising can be deceptive, but the work theory cannot fool people



Perfume: cover only, are appearance



Photocatalyst: stop working without light!



Working principle of the ozone generator



Formaldehyde removal principle
 $7O_3 + 6COCH = 3H_2O + 12CO_2$



Can be Used for Daily Disinfection

Items and machines need to be placed in sealed storage boxes




Strongly degrade pesticide residues

Vegetable and fruit



High-quality Structural Composition



Quickly deodorize and remove odor



2000mAh Lithium battery



Normal mode
Can work about 120h

Strength mode
Can work about 10-12h

Refrigerator Odor Remover



SMART CLEAN HUMIDIFIER



HUMIDIFIER 4L



Model No.: QT-JS1802

Capacity : 4L

Control ways : Touch pannel

Size : 160x160x370mm

Frequency : 50Hz

Power : 28w

Evaporation : 300ml:h






BIG MACHINE HUMIDIFIER





Full Staub Steel

Piano Paint



Timed power on: power off state, set machine start time
Timed shutdown: power on state, set the timed shutdown of the machine



Ambient humidity **57%** > Set humidity
 Automatic shutdown



Japan Shenrong humidity sensor

Ambient humidity **52%** < set humidity
 Automatic start humidification



High quality fan



SMART HUMIDIFIER 23.8L



Type	Smart Version	Standard Version
With water pipe	✓	✓
23.8L capacity	✓	✓
LED display	✓	
Constant humidity	✓	
Timing	✓	
Remote control	✓	
Negative ions	✓	

Voltage:220V-240V Power:110W

Capacity:23.8L

Product size:31cm*25cm*62cm

Working Speed:2000ml/H







Smart upgrade


- 1 Upper water inlet
- 2 4 atomizing tablets
- 3 23.8L large capacity
- 4 Intelligent constant humidity
- 5 Remote operation
- 6 12H timer function
- 7 Sleep mode
- 8 Negative ion purifier
- 9 Bottom universal pulley





WALL HUMIDIFIER


- 

Intelligent constant temperature
- 

12h Timing
- 

Protection
- 

3 Models of spraying
- 


Wall Hanging
- 

Teflon treatment





SMART SOAP



AUTOMATIC SOAP DISPENSER



The automatic infrared sensor can detect the area in the range of 8 to 12 cm and drip without direct contact with the disinfectant. Effectively prevent cross infection.





AUTOMATIC LIQUID DISPENSING WITHOUT CONTACT
Noise reduction design, responsive

Automatic Dispenser

Induction hand sanitizer

Infrared sensor Rapid bubbling

- ✓ Avoid cross infection
- ✓ Infrared sensitive
- ✓ 800ml capacity

THREE PRESET DOSAGES ADJUSTED
Choose the right amount of liquid according to your needs

Automatic Dispenser

- 1s**
Level 1
- 2s**
Level 2
- 3s**
Level 3



SOAP DISTRIBUTOR




Dual Battery Power

Infrared induction UV disinfection



No holing installation

Disassembly does not leave a mark, lossless wall, compact to simple design, put into the dry battery to use, does not occupy space.



Set disinfection, soap liquid, foamin one, holding a variety of liquid adding methods.



Disinfection

Atomized spray
Hand disinfection,
effective germicidal soap



Liquid soap

Dosing
Antibacterial effect,
moisturizing and comfortable



Foam

Plump bubbles
Penetrates pores
for deep cleansing



ABS Material



SMART SOAP DISTRIBUTOR



SIX MAIN FEATURES



Automatic sensor



Automatic dosing spray



Runs on AC or DC supply



Prevents from congestion



Fine spray



No need to dry



Compatible with various places

Hotel / Bar / Guesthouse / Restaurant / School
/ Public Toilet / Restaurant Office / Office
/ Family Toilet / 4s Shop / Shopping Mall, etc.



Hotel



Gym



Medical institutions



Station



Office building




The mall



SENSOR SOAP DISTRIBUTOR





ULV COLD FOGGER



ULV COLD FOGGER





5 FEATURES QUALITY GUARANTEE



Save Time



Save Labour



Save Chemical



01

Strong power, Small labor intensity, high efficiency, spraying one thousand square meters only 10 minutes.

02

Centrifugal rotating sprayer, no blocking, droplet size is adjustable.



03

Unique hose nozzle design, Angle can swing at will, instant switch, efficient, convenient.



04

Equipped with a medicine liquid check device, which effectively prevents the backflow of medicine liquid in the shutdown.



05

Meet all kinds of sanitary infection demands



SMART TRASH CAN




INTELLIGENT SENSING DUSTBIN





ROBOT CLEAN



DISINFECTION SPRAY ROBOT







**NOUS CONTACTER,
POUR PLUS D'INFORMATIONS:**

Nadia FIKRI
Ahlam KADIM
Hassan JAAFAR
Ouadi TIBARI

Directrice Générale Adjointe
Head Office Manager
Responsable HQSE
Responsable Exploitation

n.fikri@polluclean.ma
a.kadim@polluclean.ma
h.jaafar@polluclean.ma
o.tibari@polluclean.ma

www.polluclean.com



Siège : 353, Bd Mohammed V, 9^e étage. - Casablanca - Maroc
Plateforme de traitement : Rte provinciale 3006, km 1.6
Ech-chellalate 20640 Tit Mellil – Maroc

Tel. : **+212 522 248 232**
Fax : **+212 522 248 233**

